



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

QA Testing

1 of 3

ALOHA - PEPE PUFF THCA 0.5G X 5 PREROLL - FORBIDDEN FRUIT

Sample ID: 2407EXL2238

Strain: Forbidden Fruit

Matrix: THCa, Plant, Smokable

Type: Flower - Preroll

Produced:

Collected: 07/24/2024

Received: 07/24/2024

Completed: 07/30/2024

Batch#: 20240724RBHS

Client

Aloha Means High - Pacifica Distro



Summary

| Test | Date Tested | Result |
|-----------------|-------------|------------------|
| Batch | | Pass |
| Cannabinoids | 07/30/2024 | Complete |
| Foreign Matter | 07/30/2024 | Complete |
| Heavy Metals | 07/30/2024 | Pass |
| Microbials | 07/30/2024 | Pass |
| Moisture | 07/30/2024 | 13.4% - Complete |
| Mycotoxins | 07/30/2024 | Pass |
| GCMS Pesticides | 07/30/2024 | Pass |
| LCMS Pesticides | 07/30/2024 | Pass |
| Water Activity | 07/30/2024 | 0.44 aw - Pass |

Cannabinoids

Complete

0.2856%

Total Δ9-THC

0.233%

Total CBD

27.309%

Total Cannabinoids

| Analyte | LOD | LOQ | Result | Result |
|-----------|-------|-------|---------|---------|
| | mg/g | mg/g | % | mg/g |
| CBC | 0.009 | 0.025 | ND | ND |
| CBD | 0.025 | 0.100 | 0.2328 | 2.328 |
| CBDa | 0.019 | 0.050 | ND | ND |
| CBDV | 0.125 | 1.000 | ND | ND |
| CBDVa | 0.257 | 0.780 | ND | ND |
| CBG | 0.019 | 0.050 | ND | ND |
| CBGa | 0.125 | 0.250 | ND | ND |
| CBN | 0.009 | 0.050 | 0.4065 | 4.065 |
| Δ8-THC | 0.025 | 0.100 | ND | ND |
| Δ9-THC | 0.019 | 0.100 | 0.2856 | 2.856 |
| THCa | 0.013 | 0.050 | 27.3322 | 273.322 |
| THCV | 0.025 | 0.100 | 2.4136 | 24.136 |
| Total THC | | | 24.256 | 242.559 |
| Total CBD | | | 0.233 | 2.328 |
| Total CBG | | | 0.000 | 0.000 |
| Total | | | 27.309 | 273.089 |

Date Tested: 07/30/2024

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo

Jerry White, PhD
Chief Scientific Officer
07/30/2024

Bryan Zahakaylo
Analyst
07/30/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

QA Testing

2 of 3

ALOHA - PEPE PUFF THCA 0.5G X 5 PREROLL - FORBIDDEN FRUIT

Sample ID: 2407EXL2238

Strain: Forbidden Fruit

Matrix: THCa, Plant, Smokable

Type: Flower - Preroll

Produced:

Collected: 07/24/2024

Received: 07/24/2024

Completed: 07/30/2024

Batch#: 20240724RBHS

Client

Aloha Means High - Pacifica Distro

GC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Captan | 0.231 | 0.7 | 0.7 | ND | Pass |
| Chlordane (trans + cis) | 0.0116 | 0.035 | 0.0116 | ND | Pass |
| Chlorfenapyr | 0.0058 | 0.0175 | 0.0058 | ND | Pass |
| Cyfluthrin | 0.0231 | 0.07 | 2 | ND | Pass |
| Cypermethrin | 0.0231 | 0.07 | 1 | ND | Pass |
| Parathion Methyl | 0.0058 | 0.0175 | 0.0058 | ND | Pass |
| Pentachloronitrobenzene (Quintozene) | 0.0231 | 0.07 | 0.1 | ND | Pass |

Mycotoxins

Pass

| Analytes | LOD | LOQ | Limit | Conc. | Status |
|------------------|--------|---------|-------|-------|--------|
| | PPB | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.7000 | 5.0000 | | ND | Tested |
| Aflatoxin B2 | 1.7000 | 5.0000 | | ND | Tested |
| Aflatoxin G1 | 1.7000 | 5.0000 | | ND | Tested |
| Aflatoxin G2 | 1.7000 | 5.0000 | | ND | Tested |
| Ochratoxin A | 6.6000 | 20.0000 | 20 | ND | Pass |
| Total Aflatoxins | | | 20 | ND | Pass |

Microbials

Pass

| Analyte | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
| | RFU/g | RFU/g | |
| Aspergillus flavus | 0 | Not Detected | Pass |
| Aspergillus fumigatus | 0 | Not Detected | Pass |
| Aspergillus niger | 0 | Not Detected | Pass |
| Aspergillus terreus | 0 | Not Detected | Pass |
| Shiga toxin-producing E. Coli | 0 | Not Detected | Pass |
| Salmonella SPP | 0 | Not Detected | Pass |

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|---------|--------|-------|-------|-------|--------|
| | PPM | PPM | PPM | PPM | |
| Arsenic | 0.0165 | 0.05 | 0.2 | ND | Pass |
| Cadmium | 0.0165 | 0.05 | 0.2 | ND | Pass |
| Lead | 0.0413 | 0.125 | 0.5 | ND | Pass |
| Mercury | 0.0033 | 0.01 | 0.1 | ND | Pass |

GCMS Date Tested: 07/30/2024

Pesticides: GC-MS/MS, GCMS Method GCP-SOP-001

LCMS Date Tested: 07/30/2024

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 07/30/2024

Microbials Footnote: Microbial: PCR-SOP-001

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 07/30/2024

Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001

Dr. Jerry White PhD *Bryan Zahakaylo*

Jerry White, PhD
Chief Scientific Officer
07/30/2024

Bryan Zahakaylo
Analyst
07/30/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

QA Testing

3 of 3

ALOHA - PEPE PUFF THCA 0.5G X 5 PREROLL - FORBIDDEN FRUIT

Sample ID: 2407EXL2238

Strain: Forbidden Fruit

Matrix: THCa, Plant, Smokable

Type: Flower - Preroll

Produced:

Collected: 07/24/2024

Received: 07/24/2024

Completed: 07/30/2024

Batch#: 20240724RBHS

Client

Aloha Means High - Pacifica Distro

LC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|-----------------------|-------|------|-------|--------|--------|---|--------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.033 | 0.1 | 0.1 | ND | Pass | Imazalil | 0.033 | 0.1 | 0.033 | ND | Pass |
| Acephate | 0.033 | 0.1 | 0.1 | ND | Pass | Imidacloprid | 0.033 | 0.1 | 5 | ND | Pass |
| Acequinocyl | 0.033 | 0.1 | 0.1 | ND | Pass | Kresoxim Methyl | 0.033 | 0.1 | 0.1 | ND | Pass |
| Acetamiprid | 0.033 | 0.1 | 0.1 | ND | Pass | Malathion | 0.033 | 0.1 | 0.5 | ND | Pass |
| Aldicarb | 0.033 | 0.1 | 0.033 | ND | Pass | Metalaxyl | 0.033 | 0.1 | 2 | ND | Pass |
| Azoxystrobin | 0.033 | 0.1 | 0.1 | ND | Pass | Methiocarb | 0.033 | 0.1 | 0.033 | ND | Pass |
| Bifenazate | 0.033 | 0.1 | 0.1 | ND | Pass | Methomyl | 0.033 | 0.1 | 1 | ND | Pass |
| Bifenthrin | 0.033 | 0.1 | 3 | ND | Pass | Mevinphos | 0.033 | 0.1 | 0.033 | ND | Pass |
| Boscalid | 0.033 | 0.1 | 0.1 | ND | Pass | Myclobutanil | 0.033 | 0.1 | 0.1 | ND | Pass |
| Carbaryl | 0.033 | 0.1 | 0.5 | ND | Pass | Naled | 0.033 | 0.1 | 0.1 | ND | Pass |
| Carbofuran | 0.033 | 0.1 | 0.033 | ND | Pass | Oxamyl | 0.033 | 0.1 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.033 | 0.1 | 10 | ND | Pass | Paclobutrazol | 0.033 | 0.1 | 0.033 | ND | Pass |
| Chlorpyrifos | 0.033 | 0.1 | 0.033 | ND | Pass | Permethrin (trans + cis) | 0.033 | 0.1 | 0.5 | ND | Pass |
| Clofentezine | 0.033 | 0.1 | 0.1 | ND | Pass | Phosmet | 0.033 | 0.1 | 0.1 | ND | Pass |
| Coumaphos | 0.033 | 0.1 | 0.033 | ND | Pass | Piperonyl Butoxide | 0.033 | 0.1 | 3 | ND | Pass |
| Daminozide | 0.033 | 0.1 | 0.033 | ND | Pass | Prallethrin | 0.033 | 0.1 | 0.1 | ND | Pass |
| Diazinon | 0.1 | 0.1 | 0.1 | ND | Pass | Propiconazole | 0.033 | 0.1 | 0.1 | ND | Pass |
| Dichlorvos | 0.033 | 0.1 | 0.033 | ND | Pass | Propoxur | 0.033 | 0.1 | 0.033 | ND | Pass |
| Dimethoate | 0.033 | 0.1 | 0.033 | ND | Pass | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5 | ND | Pass |
| Dimethomorph (I + II) | 0.033 | 0.1 | 2 | ND | Pass | Pyridaben | 0.033 | 0.1 | 0.1 | ND | Pass |
| Ethoprophos | 0.033 | 0.1 | 0.033 | ND | Pass | Spinetoram (J + L) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etofenprox | 0.033 | 0.1 | 0.033 | ND | Pass | Spinosyn (A + D) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etoxazole | 0.033 | 0.1 | 0.1 | ND | Pass | Spiromesifen | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fenhexamid | 0.033 | 0.1 | 0.1 | ND | Pass | Spirotetramat | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fenoxycarb | 0.033 | 0.1 | 0.033 | ND | Pass | Spiroxamine | 0.033 | 0.1 | 0.033 | ND | Pass |
| Fenpyroximate | 0.033 | 0.1 | 0.1 | ND | Pass | Tebuconazole | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fipronil | 0.033 | 0.1 | 0.033 | ND | Pass | Thiacloprid | 0.033 | 0.1 | 0.033 | ND | Pass |
| Flonicamid | 0.033 | 0.1 | 0.1 | ND | Pass | Thiamethoxam | 0.033 | 0.1 | 5 | ND | Pass |
| Fludioxonil | 0.033 | 0.1 | 0.1 | ND | Pass | Trifloxystrobin | 0.033 | 0.1 | 0.1 | ND | Pass |
| Hexythiazox | 0.033 | 0.1 | 0.1 | ND | Pass | | | | | | |

LCMS Date Tested: 07/30/2024

Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001

Dr. Jerry White PhD *Bryan Zahakaylo*

Jerry White, PhD
Chief Scientific Officer
07/30/2024

Bryan Zahakaylo
Analyst
07/30/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.