KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Thicc Gummies - 10pcs 1000mg - Phat Razz

Sample ID: SNG-231109-29794 Batch: 231632040656

Type: Finished Product - Ingestible

Matrix: Edible - Gummy Unit Mass (g): 7.8179 Received: 04/10/2024 Completed: 05/04/2024 Client

THICC - Pacifica Distro



Summary

Test Cannabinoids **Date Tested** 4/16/2024

Status Tested

0.243%Total Δ9-THC

0.256% CBD **0.507 %**Total Cannabinoids

Not TestedMoisture Content

Not TestedForeign Matter

Internal Standard Normalization

Yes

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)	- mAU				SA-231109-29	794			
CBC	0.00095	0.00284	ND	ND	- IIIAO								
CBCA	0.00181	0.00543	ND	ND	-		9						
CBCV	0.0006	0.0018	ND	ND	600								
CBD	0.00081	0.00242	0.256	20.0									
CBDA	0.00043	0.0013	ND	ND	_								
CBDV	0.00061	0.00182	ND	ND	500				오				
CBDVA	0.00021	0.00063	ND	ND	-				- дэ-тнс				
CBG	0.00057	0.00172	0.00443	0.346	400								
CBGA	0.00049	0.00147	ND	ND	=								
CBL	0.00112	0.00335	ND	ND	300								
CBLA	0.00124	0.00371	ND	ND							P		
CBN	0.00056	0.00169	0.00404	0.316	-						Standard		
CBNA	0.0006	0.00181	ND	ND	200-						nal S		
CBT	0.0018	0.0054	ND	ND							Inter		
Δ8-THC	0.00104	0.00312	ND	ND	100						1		
Δ9-THC	0.00076	0.00227	0.243	19.0	100								
Δ9-THCA	0.00084	0.00251	ND	ND		8	THC/	CBN		CBC			CBT
Δ9-THCV	0.00069	0.00206	<loq< td=""><td><loq< td=""><td>0_</td><td></td><td>VC</td><td></td><td></td><td>0</td><td></td><td></td><td></td></loq<></td></loq<>	<loq< td=""><td>0_</td><td></td><td>VC</td><td></td><td></td><td>0</td><td></td><td></td><td></td></loq<>	0_		VC			0			
Δ9-THCVA	0.00062	0.00186	ND	ND		2.5		5.0	7.5		10.0	12.5	15.0
Total Δ9-THC			0.243	19.0		2.5	3	5.0	7.5		10.0	12.5	min
Total			0.507	39.6									

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 05/07/2024 Tested By: Nicholas Howard Scientist Date: 05/07/2024





ISO/IEC 17025:2017 Accredite
Accreditation #108651